



TENT COMPARISON MATRIX



EYRE SERIES

The Oztent Eyre is the perfect first step into the Oztent range. The Eyre is perfect for those couples who camp casually, are after a lighter option and don't want to spend big. With 2 great setup sizes, the Eyre range boasts the signature Oztent 30 second setup and comes with a fly.

Every Oztent Eyre is guaranteed waterproof when used with the supplied fly. They are also covered by a full 2-year warranty and come with side, rear and roof windows and a zippered power inlet.



EYRE 1

| | |
|----------------------------------|-------------------------------|
| Brand | Oztent |
| Setup Size | 240 (W) x 200 (D) x 190cm (H) |
| Packed Size | 206 (L) x 32 (W) x 22cm (H) |
| Sleeps | 3 |
| Weight | 22.7kg |
| Frame | Aluminium |
| Tent Material | 300D Ripstop Polyester |
| Floor Material | 210D Tape-Sealed Polyester |
| Window Material | No-See-Um Mesh |
| CPAI-84 Fire Rated | Standard Inclusion |
| UPF50+ | Standard Inclusion |
| Tub Floor | Standard Inclusion |
| Attached Awning | Standard Inclusion |
| Patented | Standard Inclusion |
| Design Registration | Not Available |
| Trademarked | Standard Inclusion |
| Awning Size | 200 (L) x 240cm (W) |
| Fly | Standard Inclusion |
| Mesh Floor Saver | Optional Extra |
| Peaked Side Panels | Optional Extra |
| Front Panel | Optional Extra |
| Complete Panel System | Optional Extra |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 4 |
| Guy Ropes Included | 11 |
| Tent Pegs Included | 16 |
| 1.9m Awning Poles | 2 |
| 2.2m Peak Poles | Optional Extra |
| 2.6m Ridge Poles | Optional Extra |
| Power Inlet | Standard Inclusion |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |



EYRE 2

| | |
|----------------------------------|-------------------------------|
| Brand | Oztent |
| Setup Size | 240 (W) x 260 (D) x 190cm (H) |
| Packed Size | 206 (L) x 33 (W) x 25cm (H) |
| Sleeps | 4 to 5 |
| Weight | 23.1kg |
| Frame | Aluminium |
| Tent Material | 300D Ripstop Polyester |
| Floor Material | 210D Tape-Sealed Polyester |
| Window Material | No-See-Um Mesh |
| CPAI-84 Fire Rated | Standard Inclusion |
| UPF50+ | Standard Inclusion |
| Tub Floor | Standard Inclusion |
| Attached Awning | Standard Inclusion |
| Patented | Standard Inclusion |
| Design Registration | Not Available |
| Trademarked | Standard Inclusion |
| Awning Size | 200 (L) x 240cm (W) |
| Fly | Standard Inclusion |
| Mesh Floor Saver | Optional Extra |
| Peaked Side Panels | Optional Extra |
| Front Panel | Optional Extra |
| Complete Panel System | Optional Extra |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 4 |
| Guy Ropes Included | 11 |
| Tent Pegs Included | 16 |
| 1.9m Awning Poles | 2 |
| 2.2m Peak Poles | Optional Extra |
| 2.6m Ridge Poles | Optional Extra |
| Power Inlet | Standard Inclusion |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |





1-2 MAN TENTS

Oztent is traditionally known for larger style tents. However, with more and more people wanting smaller shelters we took the experience we had in large tents and shrunk it down to accommodate for the growing audience.

Not only will you find quality but also innovation in our 1-2 man tent range. Enjoy an incredible sleep in a Bunker or try out the innovation packed RS-1 Swag.

RS-1



| | |
|----------------------------------|-------------------------------|
| Brand | Oztent |
| Setup Size | 215 (W) x 100 (D) x 105cm (H) |
| Packed Size | 162 (W) x 57 (D) x 18cm (H) |
| Sleeps | 1 |
| Weight | 15.0kg |
| Frame | Aluminium |
| Tent Material | ModCan Rip-Stop Polyester |
| Floor Material | 350G PVC Tub Floor |
| Window Material | No-See-Um Mesh |
| CPAI-84 Fire Rated | Standard Inclusion |
| UPF50+ | Standard Inclusion |
| Tub Floor | Standard Inclusion |
| Attached Awning | Standard Inclusion |
| Patented | Standard Inclusion |
| Design Registration | Not Available |
| Trademarked | Standard Inclusion |
| Awning Size | 100 (L) x 215cm (W) |
| Fly | Not Available |
| Mesh Floor Saver | Not Available |
| Peaked Side Panels | Not Available |
| Front Panel | Not Available |
| Included Mattress | Standard Inclusion |
| Complete Panel System | Not Available |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 4 |
| Guy Ropes Included | 2 |
| Tent Pegs Included | 10 |
| 1.7m Awning Poles | 2 |
| 2.2m Peak Poles | Optional Extra |
| 2.6m Ridge Poles | Optional Extra |
| Power Inlet | Standard Inclusion |
| Carry Bag | Standard Inclusion |

RV-1



| | |
|----------------------------------|-------------------------------|
| Brand | Oztent |
| Setup Size | 215 (W) x 150 (D) x 145cm (H) |
| Packed Size | 164 (L) x 43 (W) x 25cm (H) |
| Sleeps | 2 |
| Weight | 17.9kg |
| Frame | Aluminium |
| Tent Material | 8oz Ripstop Polycotton Canvas |
| Floor Material | Heavy-duty PVC |
| Window Material | No-See-Um Mesh |
| CPAI-84 Fire Rated | Not Available |
| UPF50+ | Not Available |
| Tub Floor | Standard Inclusion |
| Attached Awning | Standard Inclusion |
| Patented | Standard Inclusion |
| Design Registration | Not Available |
| Trademarked | Standard Inclusion |
| Awning Size | 200 (L) x 200cm (W) |
| Fly | Optional Extra |
| Mesh Floor Saver | Optional Extra |
| Peaked Side Panels | Optional Extra |
| Front Panel | Optional Extra |
| Included Mattress | Not Available |
| Complete Panel System | Not Available |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 4 |
| Guy Ropes Included | 2 |
| Tent Pegs Included | 16 |
| 1.9m Awning Poles | 2 |
| 2.2m Peak Poles | Optional Extra |
| 2.6m Ridge Poles | Optional Extra |
| Power Inlet | Standard Inclusion |
| Carry Bag | Standard Inclusion |

BUNKER



| | |
|----------------------------------|-------------------------------|
| Brand | Oztent |
| Setup Size | 200 (L) x 80 (W) x 145cm (H) |
| Packed Size | 109 (L) x 33 (W) x 32cm (H) |
| Sleeps | 1 |
| Weight | 15.6kg |
| Frame | Powder-Coated Steel |
| Tent Material | 8oz Ripstop Polycotton Canvas |
| Floor Material | Not Available |
| Window Material | Superfine Mesh |
| CPAI-84 Fire Rated | Not Available |
| UPF50+ | Not Available |
| Tub Floor | Not Available |
| Attached Awning | Not Available |
| Patented | Not Available |
| Design Registration | Standard Inclusion |
| Trademarked | Not Available |
| Awning Size | Not Available |
| Fly | Standard Inclusion |
| Mesh Floor Saver | Not Available |
| Peaked Side Panels | Not Available |
| Front Panel | Not Available |
| Complete Panel System | Not Available |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 2 |
| Guy Ropes Included | 4 |
| Tent Pegs Included | 6 |
| 1.9m Awning Poles | Not Available |
| 2.2m Peak Poles | Not Available |
| 2.6m Ridge Poles | Not Available |
| Power Inlet | Not Available |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |

BUNKER XL



| | |
|----------------------------------|------------------------------|
| Brand | Oztent |
| Setup Size | 210 (L) x 90 (W) x 145cm (H) |
| Packed Size | 113 (L) x 39 (W) x 19cm (H) |
| Sleeps | 1 |
| Weight | 17.1kg |
| Frame | Powder-Coated Steel |
| Tent Material | 300D Ripstop Polyoxford |
| Floor Material | Not Available |
| Window Material | Superfine Mesh |
| CPAI-84 Fire Rated | Not Available |
| UPF50+ | Not Available |
| Tub Floor | Not Available |
| Attached Awning | Not Available |
| Patented | Not Available |
| Design Registration | Standard Inclusion |
| Trademarked | Not Available |
| Awning Size | Not Available |
| Fly | Standard Inclusion |
| Mesh Floor Saver | Not Available |
| Peaked Side Panels | Not Available |
| Front Panel | Not Available |
| Complete Panel System | Not Available |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 2 |
| Guy Ropes Included | 4 |
| Tent Pegs Included | 6 |
| 1.9m Awning Poles | Not Available |
| 2.2m Peak Poles | Not Available |
| 2.6m Ridge Poles | Not Available |
| Power Inlet | Not Available |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |



RV SERIES

The original range Oztent was built on and now a staple in the camping community. The RV range is the ultimate in camping with 20+ years of experience and innovation crammed into it.

With 5 convenient sizes, there's an Oztent RV for everyone

RV-2



| | |
|----------------------------------|-------------------------------|
| Brand | Oztent |
| Setup Size | 200 (W) x 200 (D) x 190cm (H) |
| Packed Size | 205 (L) x 32 (W) x 25cm (H) |
| Sleeps | 2 to 3 |
| Weight | 20.3kg |
| Frame | Aluminium |
| Tent Material | 8oz Ripstop Polycotton Canvas |
| Floor Material | Heavy-duty PVC |
| Window Material | No-See-Um Mesh |
| CPAI-84 Fire Rated | Not Available |
| UPF50+ | Not Available |
| Tub Floor | Standard Inclusion |
| Attached Awning | Standard Inclusion |
| Patented | Standard Inclusion |
| Design Registration | Not Available |
| Trademarked | Standard Inclusion |
| Awning Size | 200 (L) x 200cm (W) |
| Fly | Optional Extra |
| Mesh Floor Saver | Optional Extra |
| Peaked Side Panels | Optional Extra |
| Front Panel | Optional Extra |
| Complete Panel System | Not Available |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 4 |
| Guy Ropes Included | 2 |
| Tent Pegs Included | 16 |
| 1.9m Awning Poles | 2 |
| 2.2m Peak Poles | Optional Extra |
| 2.6m Ridge Poles | Optional Extra |
| Power Inlet | Standard Inclusion |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |

RV-3



| | |
|----------------------------------|-------------------------------|
| Brand | Oztent |
| Setup Size | 240 (W) x 200 (D) x 190cm (H) |
| Packed Size | 202 (L) x 27 (W) x 21cm (H) |
| Sleeps | 3 |
| Weight | 21.5kg |
| Frame | Aluminium |
| Tent Material | 8oz Ripstop Polycotton Canvas |
| Floor Material | Heavy-duty PVC |
| Window Material | No-See-Um Mesh |
| CPAI-84 Fire Rated | Not Available |
| UPF50+ | Not Available |
| Tub Floor | Standard Inclusion |
| Attached Awning | Standard Inclusion |
| Patented | Standard Inclusion |
| Design Registration | Not Available |
| Trademarked | Standard Inclusion |
| Awning Size | 200 (L) x 240cm (W) |
| Fly | Optional Extra |
| Mesh Floor Saver | Optional Extra |
| Peaked Side Panels | Optional Extra |
| Front Panel | Optional Extra |
| Complete Panel System | Not Available |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 4 |
| Guy Ropes Included | 2 |
| Tent Pegs Included | 16 |
| 1.9m Awning Poles | 2 |
| 2.2m Peak Poles | Optional Extra |
| 2.6m Ridge Poles | Optional Extra |
| Power Inlet | Standard Inclusion |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |

RV-4



| | |
|----------------------------------|-------------------------------|
| Brand | Oztent |
| Setup Size | 240 (W) x 240 (D) x 190cm (H) |
| Packed Size | 213 (L) x 38 (W) x 26cm (H) |
| Sleeps | 4 |
| Weight | 22.7kg |
| Frame | Aluminium |
| Tent Material | 8oz Ripstop Polycotton Canvas |
| Floor Material | Heavy-duty PVC |
| Window Material | No-See-Um Mesh |
| CPAI-84 Fire Rated | Not Available |
| UPF50+ | Not Available |
| Tub Floor | Standard Inclusion |
| Attached Awning | Standard Inclusion |
| Patented | Standard Inclusion |
| Design Registration | Not Available |
| Trademarked | Standard Inclusion |
| Awning Size | 200cm (L) x 240cm (W) |
| Fly | Optional Extra |
| Mesh Floor Saver | Optional Extra |
| Peaked Side Panels | Optional Extra |
| Front Panel | Optional Extra |
| Complete Panel System | Not Available |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 4 |
| Guy Ropes Included | 2 |
| Tent Pegs Included | 16 |
| 1.9m Awning Poles | 2 |
| 2.2m Peak Poles | Optional Extra |
| 2.6m Ridge Poles | Optional Extra |
| Power Inlet | Standard Inclusion |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |

RV-5



| | |
|----------------------------------|-------------------------------|
| Brand | Oztent |
| Setup Size | 260 (W) x 260 (D) x 190cm (H) |
| Packed Size | 202 (L) x 27 (W) x 38cm (H) |
| Sleeps | 5 |
| Weight | 24.3kg |
| Frame | Aluminium |
| Tent Material | 8oz Ripstop Polycotton Canvas |
| Floor Material | Heavy-duty PVC |
| Window Material | No-See-Um Mesh |
| CPAI-84 Fire Rated | Not Available |
| UPF50+ | Not Available |
| Tub Floor | Standard Inclusion |
| Attached Awning | Standard Inclusion |
| Patented | Standard Inclusion |
| Design Registration | Not Available |
| Trademarked | Standard Inclusion |
| Awning Size | 200 (L) x 260cm (W) |
| Fly | Optional Extra |
| Mesh Floor Saver | Optional Extra |
| Peaked Side Panels | Optional Extra |
| Front Panel | Optional Extra |
| Complete Panel System | Not Available |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 4 |
| Guy Ropes Included | 2 |
| Tent Pegs Included | 16 |
| 1.9m Awning Poles | 2 |
| 2.2m Peak Poles | Optional Extra |
| 2.6m Ridge Poles | Optional Extra |
| Power Inlet | Standard Inclusion |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |



RX SERIES

The RX range is much like the RV but includes some of our most requested features. It comes as a full package, fully sealed front living room and all.

The RX range is also fully modular. It can be a 1 room tent or 2 room tent depending on the need.

RX-4



| | |
|----------------------------------|--|
| Brand | Oztent |
| Setup Size | 240 (W) x 440 (D) x 220cm (H) |
| Packed Size | Tent 207 (L) x 30 (W) x 26cm (H) Living Room 70 (L) x 26 (W) x 23cm (H) |
| Sleeps | 4 to 8 |
| Weight | Tent 28.0kg Living Room 9.8kg |
| Frame | Aluminium |
| Tent Material | ModCan Ripstop Polyester |
| Floor Material | Heavy-duty PVC |
| Window Material | No-See-Um Mesh |
| CPAI-84 Fire Rated | Standard Inclusion |
| UPF50+ | Standard Inclusion |
| Tub Floor | Standard Inclusion |
| Attached Awning | Standard Inclusion |
| Patented | Standard Inclusion |
| Design Registration | Not Available |
| Trademarked | Standard Inclusion |
| Awning Size | 200 (L) x 240cm (W) |
| Fly | Standard Inclusion |
| Mesh Floor Saver | Optional Extra |
| Peaked Side Panels | Not Available |
| Front Panel | Not Available |
| Complete Panel System | Standard Inclusion |
| Zip-In Under Awning Floor | Standard Inclusion |
| Attached Guy Ropes | 4 |
| Guy Ropes Included | 11 |
| Tent Pegs Included | 22 |
| 1.9m Awning Poles | 2 |
| 2.3m Peak Poles | 2 |
| 2.6m Ridge Poles | 2 |
| Power Inlet | Standard Inclusion |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |

RX-5



| | |
|----------------------------------|--|
| Brand | Oztent |
| Setup Size | 260 (W) x 460 (D) x 220cm (H) |
| Packed Size | Tent 209 (L) x 37 (W) x 29cm (H) Living Room 70 (L) x 28 (W) x 25cm (H) |
| Sleeps | 5 to 10 |
| Weight | Tent 29.8kg Living Room 10.5kg |
| Frame | Aluminium |
| Tent Material | ModCan Ripstop Polyester |
| Floor Material | Heavy-duty PVC |
| Window Material | No-See-Um Mesh |
| CPAI-84 Fire Rated | Standard Inclusion |
| UPF50+ | Standard Inclusion |
| Tub Floor | Standard Inclusion |
| Attached Awning | Standard Inclusion |
| Patented | Standard Inclusion |
| Design Registration | Not Available |
| Trademarked | Standard Inclusion |
| Awning Size | 200 (L) x 260cm (W) |
| Fly | Standard Inclusion |
| Mesh Floor Saver | Optional Extra |
| Peaked Side Panels | Not Available |
| Front Panel | Not Available |
| Complete Panel System | Standard Inclusion |
| Zip-In Under Awning Floor | Standard Inclusion |
| Attached Guy Ropes | 4 |
| Guy Ropes Included | 11 |
| Tent Pegs Included | 22 |
| 1.9m Awning Poles | 2 |
| 2.3m Peak Poles | 2 |
| 2.6m Ridge Poles | 2 |
| Power Inlet | Standard Inclusion |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |





OXLEY SERIES

The Oztent Oxley comes with experience-inspired innovations based of the time-tested Oztent RV. The robust exterior frame features super high-quality mechanisms like our auto lock/release knuckles for effortless setup. Your liveable space can be expanded with the extra large attached awning.

The Oxley comes in 2 materials; a lite material and a Polycotton Canvas ensuring accessibility to all campers.



OXLEY 5 LITE

| | |
|----------------------------------|-------------------------------|
| Brand | Oztent |
| Setup Size | 250 (W) x 250 (D) x 210cm (H) |
| Packed Size | 123 (L) x 31 (W) x 31cm (H) |
| Sleeps | 5 |
| Weight | 19.1kg |
| Frame | Aluminium |
| Tent Material | 210D Ripstop Polyoxford |
| Floor Material | 210D Ripstop Polyoxford |
| Window Material | No-See-Um Mesh |
| CPAI-84 Fire Rated | Standard Inclusion |
| UPF50+ | Standard Inclusion |
| Tub Floor | Standard Inclusion |
| Attached Awning | Standard Inclusion |
| Patented | Not Available |
| Design Registration | Standard Inclusion |
| Trademarked | Not Available |
| Awning Size | 250 (L) x 250cm (W) |
| Fly | Standard Inclusion |
| Mesh Floor Saver | Not Available |
| Peaked Side Panels | Not Available |
| Front Panel | Not Available |
| Complete Panel System | Optional Extra |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 14 |
| Guy Ropes Included | 2 |
| Tent Pegs Included | 22 |
| 1.9m Awning Poles | 2 |
| 2.2m Peak Poles | Optional Extra |
| 2.6m Ridge Poles | Optional Extra |
| Power Inlet | Standard Inclusion |
| Carry Bag | Standard Inclusion |
| Warranty Years | 1 |



OXLEY 7 LITE

| | |
|----------------------------------|-------------------------------|
| Brand | Oztent |
| Setup Size | 250 (W) x 470 (D) x 210cm (H) |
| Packed Size | 121 (L) x 39 (W) x 39cm (H) |
| Sleeps | 7 |
| Weight | 25.5kg |
| Frame | Aluminium |
| Tent Material | 210D Ripstop Polyoxford |
| Floor Material | 210D Ripstop Polyoxford |
| Window Material | No-See-Um Mesh |
| CPAI-84 Fire Rated | Standard Inclusion |
| UPF50+ | Standard Inclusion |
| Tub Floor | Standard Inclusion |
| Attached Awning | Standard Inclusion |
| Patented | Not Available |
| Design Registration | Standard Inclusion |
| Trademarked | Not Available |
| Awning Size | 250 (L) x 250cm (W) |
| Fly | Standard Inclusion |
| Mesh Floor Saver | Not Available |
| Peaked Side Panels | Not Available |
| Front Panel | Not Available |
| Complete Panel System | Optional Extra |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 19 |
| Guy Ropes Included | 2 |
| Tent Pegs Included | 32 |
| 1.9m Awning Poles | 2 |
| 2.2m Peak Poles | Optional Extra |
| 2.6m Ridge Poles | Optional Extra |
| Power Inlet | Standard Inclusion |
| Carry Bag | Standard Inclusion |
| Warranty Years | 1 |



OXLEY 5

| | |
|----------------------------------|---------------------------------|
| Brand | Oztent |
| Setup Size | 250 (W) x 250 (D) x 210cm (H) |
| Packed Size | 116 (L) x 37 (W) x 34cm (H) |
| Sleeps | 5 |
| Weight | 26.0kg |
| Frame | Aluminium |
| Tent Material | 8oz Ripstop Polycotton Canvas |
| Floor Material | Heavy-duty PVC with Anti-Freeze |
| Window Material | No-See-Um Mesh |
| CPAI-84 Fire Rated | Not Available |
| UPF50+ | Not Available |
| Tub Floor | Standard Inclusion |
| Attached Awning | Standard Inclusion |
| Patented | Not Available |
| Design Registration | Standard Inclusion |
| Trademarked | Not Available |
| Awning Size | 250 (L) x 250cm (W) |
| Fly | Standard Inclusion |
| Mesh Floor Saver | Not Available |
| Peaked Side Panels | Not Available |
| Front Panel | Not Available |
| Complete Panel System | Optional Extra |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 14 |
| Guy Ropes Included | 2 |
| Tent Pegs Included | 22 |
| 1.9m Awning Poles | 2 |
| 2.2m Peak Poles | Optional Extra |
| 2.6m Ridge Poles | Optional Extra |
| Power Inlet | Standard Inclusion |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |



OXLEY 7

| | |
|----------------------------------|---------------------------------|
| Brand | Oztent |
| Setup Size | 250 (W) x 470 (D) x 210cm (H) |
| Packed Size | 118 (L) x 35 (W) x 35cm (H) |
| Sleeps | 7 |
| Weight | 36.1kg |
| Frame | Aluminium |
| Tent Material | 8oz Ripstop Polycotton Canvas |
| Floor Material | Heavy-duty PVC with Anti-Freeze |
| Window Material | No-See-Um Mesh |
| CPAI-84 Fire Rated | Not Available |
| UPF50+ | Not Available |
| Tub Floor | Standard Inclusion |
| Attached Awning | Standard Inclusion |
| Patented | Not Available |
| Design Registration | Standard Inclusion |
| Trademarked | Not Available |
| Awning Size | 250 (L) x 250cm (W) |
| Fly | Standard Inclusion |
| Mesh Floor Saver | Not Available |
| Peaked Side Panels | Not Available |
| Front Panel | Not Available |
| Complete Panel System | Optional Extra |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 19 |
| Guy Ropes Included | 2 |
| Tent Pegs Included | 32 |
| 1.9m Awning Poles | 2 |
| 2.2m Peak Poles | Optional Extra |
| 2.6m Ridge Poles | Optional Extra |
| Power Inlet | Standard Inclusion |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |



CICARA SERIES

A perfect companion for a quick trip to the beach or bush, a spontaneous last minute getaway or a summer festival road trip. The Malamoo Cicara packs flat so it easily fits in the car, plus it is lightweight and easy to carry when you arrive. Not to mention you're setup in just 3 seconds.



CICARA 1.0

| | |
|----------------------------------|-------------------------------|
| Brand | Malamoo |
| Setup Size | 240 (W) x 180 (D) x 100cm (H) |
| Packed Size | 80 (L) x 85 (W) x 12cm (H) |
| Sleeps | 2 |
| Weight | 3.3kg |
| Frame | Fibreglass resin poles |
| Tent Material | 68D Polyester Taffeta |
| Floor Material | Poly-Oxford |
| Window Material | Superfine mesh |
| CPAI-84 Fire Rated | Standard Inclusion |
| UPF50+ | Not Available |
| Tub Floor | Not Available |
| Attached Awning | Not Available |
| Patented | Not Available |
| Design Registration | Not Available |
| Trademarked | Not Available |
| Awning Size | Not Available |
| Fly | Standard Inclusion |
| Mesh Floor Saver | Not Available |
| Peaked Side Panels | Not Available |
| Front Panel | Not Available |
| Complete Panel System | Not Available |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 5 |
| Guy Ropes Included | Not Available |
| Tent Pegs Included | 12 |
| 1.9m Awning Poles | Not Available |
| 2.2m Peak Poles | Not Available |
| 2.6m Ridge Poles | Not Available |
| Power Inlet | Not Available |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |



CICARA 2.0


| | |
|----------------------------------|-------------------------------|
| Brand | Malamoo |
| Setup Size | 300 (W) x 200 (D) x 125cm (H) |
| Packed Size | 105 (L) x 105 (W) x 11cm (H) |
| Sleeps | 3 |
| Weight | 5.0kg |
| Frame | Fibreglass resin poles |
| Tent Material | 68D Polyester Taffeta |
| Floor Material | Poly-Oxford |
| Window Material | Superfine mesh |
| CPAI-84 Fire Rated | Standard Inclusion |
| UPF50+ | Not Available |
| Tub Floor | Not Available |
| Attached Awning | Standard Inclusion |
| Patented | Not Available |
| Design Registration | Not Available |
| Trademarked | Not Available |
| Awning Size | Not Available |
| Fly | Standard Inclusion |
| Mesh Floor Saver | Not Available |
| Peaked Side Panels | Not Available |
| Front Panel | Not Available |
| Complete Panel System | Not Available |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 5 |
| Guy Ropes Included | Not Available |
| Tent Pegs Included | 12 |
| 1.9m Awning Poles | Not Available |
| 2.2m Peak Poles | Not Available |
| 2.6m Ridge Poles | Not Available |
| Power Inlet | Not Available |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |





CICARA 3.0


| | |
|----------------------------------|-------------------------------|
| Brand | Malamoo |
| Setup Size | 365 (W) x 250 (D) x 150cm (H) |
| Packed Size | 105 (L) x 105 (W) x 10cm (H) |
| Sleeps | 4 |
| Weight | 8.6kg |
| Frame | Fibreglass resin poles |
| Tent Material | 68D Polyester Taffeta |
| Floor Material | Poly-Oxford |
| Window Material | Superfine mesh |
| CPAI-84 Fire Rated | Standard Inclusion |
| UPF50+ | Not Available |
| Tub Floor | Not Available |
| Attached Awning | Standard Inclusion |
| Patented | Not Available |
| Design Registration | Not Available |
| Trademarked | Not Available |
| Awning Size | Not Available |
| Fly | Standard Inclusion |
| Mesh Floor Saver | Not Available |
| Peaked Side Panels | Not Available |
| Front Panel | Not Available |
| Complete Panel System | Not Available |
| Zip-In Under Awning Floor | Not Available |
| Attached Guy Ropes | 5 |
| Guy Ropes Included | Not Available |
| Tent Pegs Included | 12 |
| 1.9m Awning Poles | Not Available |
| 2.2m Peak Poles | Not Available |
| 2.6m Ridge Poles | Not Available |
| Power Inlet | Not Available |
| Carry Bag | Standard Inclusion |
| Warranty Years | 2 |





 /TheOztentGroup

 @TheOztentGroup

 The Oztent Group

www.oztent.com.au